

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2875	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L6	3856	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L10	44269	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L11	4197	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L20	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L21	76	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L24	156	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L26	2875	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L27	3856	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L28	44269	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L29	4197	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19

L30	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L31	76	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L32	156	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L52	2875	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L53	3856	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipulats\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L54	44269	"717"/("127" "131" "134" "138" "139").cccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L55	4197	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipulats\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L56	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L57	76	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L58	156	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L59	2875	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:19
L60	3856	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipulats\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:20

L61	44269	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:20
L62	4197	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:20
L63	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:20
L64	76	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:20
L65	156	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 16:20
S1	1	"20030061598".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 14:52
S2	2153	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 10:20
S3	1766	((object machine machine-executable native) adj (code instruction language)) near3 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 10:06
S4	2	(insert add place put) adj10 (in into inside between) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 10:18
S5	222	(insert add place put) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 10:34
S6	2898	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 10:33
S7	2	("5727169" "5748855").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 13:31

S8	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 13:31
S9	7	(US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (US-20030208745-\$ or US-20040107217-\$).did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/10 14:49
S10	38642	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 16:30
S11	3158	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 16:30
S12	1050	("717"/("127" "131" "134" "138" "139").ccls. ) and (((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 16:31
S13	6	("5742804" "6321328" "6044221" "5721865" "5615386" "5999736").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 16:45
S18	6	("4910663" "6134710" "6195792" "6351844" "20030208745" "20040107217").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/10 14:53
S19	7	(US-20030208745-\$ or US-20040107217-\$).did. or (US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/02/15 10:12
S20	2	S19 and interval	US-PGPUB; USPAT; EPO	OR	ON	2005/02/15 10:12
S21	1	"6134710".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 11:12
S22	371	(branch adj prediction) and ((preload prefetch) adj ("instructions"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 11:14
S23	1	(add\$3 insert\$3) near5 ((branch adj prediction) and ((preload prefetch) adj ("instructions"))) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 11:26

S24	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 11:28
S25	22	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 11:29
S26	66	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 11:28
S27	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 13:25
S28	133	multiple adj (prefetch pre adj (fetch load))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 14:53
S29	132	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 14:53
S30	1	"20030061598".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S31	2416	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S32	1970	((object machine machine-executable native) adj (code instruction language)) near3 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S33	2	(insert add place put) adj10 (in into inside between) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S34	255	(insert add place put) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S35	3252	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03

S36	2	("5727169" "5748855").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S37	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S38	7	(US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (US-20030208745-\$ or US-20040107217-\$).did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 18:03
S39	43358	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S40	3542	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S41	1195	("717"/("127" "131" "134" "138" "139").ccls. ) and (((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S42	6	("5742804" "6321328" "6044221" "5721865" "5615386" "5999736"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S43	6	("4910663" "6134710" "6195792" "6351844" "20030208745" "20040107217").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 18:03
S44	7	(US-20030208745-\$ or US-20040107217-\$).did. or (US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/02/15 18:03
S45	2	S44 and interval	US-PGPUB; USPAT; EPO	OR	ON	2005/02/15 18:03
S46	1	"6134710".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S47	371	(branch adj prediction) and ((preload prefetch) adj ("instructions"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03

S48	1	(add\$3 insert\$3) near5 ((branch adj prediction) and ((preload prefetch) adj ("instructions"))) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S49	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S50	66	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S51	22	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S52	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S53	132	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S54	133	multiple adj (prefetch pre adj (fetch load))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
S55	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:08
S56	1	"20030061598".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S57	2625	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S58	2146	((object machine machine-executable native) adj (code instruction language)) near3 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S59	2	(insert add place put) adj10 (in into inside between) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33

S60	283	(insert add place put) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S61	3529	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S62	2	("5727169" "5748855").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S63	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S64	7	(US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (US-20030208745-\$ or US-20040107217-\$).did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/08/17 12:33
S65	41149	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S66	3849	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S67	565	("717"/("127" "131" "134" "138" "139").ccls. ) and (((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S68	6	("5742804" "6321328" "6044221" "5721865" "5615386" "5999736").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S69	6	("4910663" "6134710" "6195792" "6351844" "20030208745" "20040107217").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/08/17 12:33
S70	7	(US-20030208745-\$ or US-20040107217-\$).did. or (US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/08/17 12:33



S71	2	S70 and interval	US-PGPUB; USPAT; EPO	OR	ON	2005/08/17 12:33
S72	1	"6134710".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S73	389	((branch adj prediction) and ((preload prefetch) adj ("instructions"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S74	1	(add\$3 insert\$3) near5 ((branch adj prediction) and ((preload prefetch) adj ("instructions")) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S75	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S76	69	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S77	23	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S78	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S79	142	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S80	143	multiple adj (prefetch pre adj (fetch load))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S81	2625	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S82	3529	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33

S83	41149	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S84	3849	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S85	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S86	69	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S87	142	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S88	1	"20030061598".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S89	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S90	1	"6134710".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S91	1	(add\$3 insert\$3) near5 ((branch adj prediction) and ((preload prefetch) adj ("instructions"))) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S92	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S93	2	(insert add place put) adj10 (in into inside between) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S94	2	("5727169" "5748855").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33

S95	7	(US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (US-20030208745-\$ or US-20040107217-\$).did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/08/17 12:33
S96	6	("5742804" "6321328" "6044221" "5721865" "5615386" "5999736"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S97	6	("4910663" "6134710" "6195792" "6351844" "20030208745" "20040107217").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/08/17 12:33
S98	7	(US-20030208745-\$ or US-20040107217-\$).did. or (US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/08/17 12:33
S99	2	S98 and interval	US-PGPUB; USPAT; EPO	OR	ON	2005/08/17 12:33
S10 0	23	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S10 1	143	multiple adj (prefetch pre adj (fetch load))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S10 2	283	(insert add place put) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S10 3	389	(branch adj prediction) and ((preload prefetch) adj ("instructions"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S10 4	565	("717"/("127" "131" "134" "138" "139").ccls. ) and (((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipul\$3 modif\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S10 5	2146	((object machine machine-executable native) adj (code instruction language)) near3 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33
S10 6	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 12:33

S10 8	1	"20030061598".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 10:18
S10 9	1	"6134710".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:17
S11 0	0	"branch prediction or preload"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:17
S11 1	0	"branch prediction instruction or preload"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:17
S11 2	3142	"branch prediction"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:18
S11 3	4	"branch prediction" same preload	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:19
S11 4	54	"branch prediction" near5 (preload or touch or hint)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:25
S11 5	427	"branch prediction" near5 (prefetch or pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:27
S11 6	0	insert\$3 near5 "branch prediction or prefetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:25
S11 7	0	"branch prediction or prefetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26
S11 8	0	"branch prediction instructions or prefetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26
S11 9	0	"branch prediction instruction or prefetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26

S12 0	0	"branch prediction instruction or a prefetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26
S12 1	0	"branch prediction or a prefetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26
S12 2	0	"branch prediction or a pre fetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26
S12 3	0	"branch prediction or pre fetch"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:26
S12 4	0	insert\$3 near5 ("branch prediction" near5 (prefetch or pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:27
S12 5	427	"branch prediction" near5 (prefetch or pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:33
S12 6	71	S125 and insert	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:27
S12 7	226	S125 and insert\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:28
S12 8	406	S125 and (insert\$3 or plac\$3 or load\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:34
S12 9	327	("branch prediction" near5 (prefetch or pre adj fetch)) near5 instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:35
S13 0	316	S129 and (insert\$3 or plac\$3 or load\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:34
S13 1	173	S129 and (insert\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:35

S13 2	69	("branch prediction" near5 (prefetch or pre adj fetch)) near instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:35
S13 3	17	S132 and (insert\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/08/19 11:35